

The opinions and statements made in this presentation are those of RioVation® and not those of NOWRA or any sponsors of the 2024 Mega-Conference

Gig Drewery – An OWTS Industry Innovator

Gig and Trina Drewery have been solving onsite wastewater issues for over 30 years

- Early 1980's Gig and Trina began installing ATU's in east Texas
- Went on to found Hydro-Action and patent numerous NSF certified ATU products
 - Instrumental in getting ATU's approved for use in the state in 1994
- Gig's prior patents are widely used in the industry today
- Gig was a founding board member of NOWRA
- Founding president of TOWA
- Served on the NSF joint committee

Soil is the Best Medium to Treat Wastewater



THE OHIO STATE UNIVERSITY

extension.osu.edu fabe.osu.edu

COLLEGE OF FOOD, AGRICULTURAL, AND ENVIRONMENTAL SCIENCES

Using Soil to Remove Pollutants From Wastewater


AEX-745

Agriculture and Natural Resources

Date: 02/25/2016

Soil is the best medium to treat and disperse wastewater to protect the health of families, neighbors and visitors as well as the environment. Ohio has wonderfully diverse soil resources. Most of Ohio's soils are best suited for growing food and supporting Ohio's largest industry: agriculture.

Why Are We Designing Systems To Fail?




A Deep Dive into Human Waste Disposal and Treatment History

1473 B.C.E - ~3,500 Years Ago

Deuteronomy 23:12, 13

A private place should be designated for use outside the camp, and there is where you should go. A peg should be part of your equipment. When you squat outside, you should dig a hole with it and then cover your excrement.

Early sewers in ancient Rome and Greece Around 800 B.C.E. or ~2,800 Years Ago



Chamber Pots and Outhouses




Unsanitary conditions were widespread throughout Europe

Resulted in pandemics such as the Black Death and cholera

- Tens of millions died from these diseases
- Estimated that 25% of the European population died as a result

There's Got To Be A Better Way!



1596 C.E. or 427 Years Ago Englishman named Sir John Harington invented the first modern flush toilet

We remember him every time we go to the "John"

We Are Seeing Improvements Along The Way



CRAPPER'S

Improved

Registered Urnamental

Flush-down W.P.

Mith New Design Cest-ron Syshes Water Water Preventer.

No 518.

Improved Detainersial Flack-dense W.C. Basin (Registered Net register), Painbard Manuasory Stat. with map, Net returns against Calculate Septem Context (No. 740 (1993)), Prove Theories, Paperson Corps, and Pennet Public complete systems. <u>EC 23</u>

Late 1800's Englishman named Thomas Crapper developed one of the first widely successful flush toilets

Crapper did not invent the toilet but he developed the ballcock which is the tank-filling mechanism that is still widely used in toilets today

We remember him every time we... well, every time we go to the "John"

Focus of sewage management was getting the raw sewage out of the house and onto the street or into a natural body of water where it would be diluted and dissipated

Septic Tanks Have Not Changed Since Invented

1860 A Frenchman named Jean Louis Mouras invents the first septic tank

1883

Septic tanks are introduced in the United States Really have not changed since invented

Perforated pipe -

Sand/loam soil


Soil absorption field

Septic System and Drainfield

Geotextile fabric

Image Source: Produced by Agricultural Communications, The Texas A&M University System, EPA

Two-compartment septic tank



So Now That We Have Wastewater, What Do We Do With It?

- With the advent of the septic tank we began disposing of wastewater into:
 - Storm sewers
 - Cesspits sometimes called drywells or seepage pits
 - Surface lagoons
- Challenges persisted with these disposal methods
 - Major epidemics of cholera and typhoid fever persisted, due primarily to improper disposal of wastewater and resulting contamination of water
 - States eventually began to regulate separation of drainfield from seasonal high water table

Fast forward to today – In the United States septic systems serve approximately 25% of homes, more than 26 million septic systems

Collectively we now generate more than 4 billion gallons of onsite septic effluent A DAY Equivalent to 500,000 tractor trailer loads or 100,000,000 bath tubs full of sewage a day

1977 Robert S. Kerr Environmental Lab EPA Report

EPA-600/3-77-096 August 1977

ENVIRONMENTAL EFFECTS OF SEPTIC TANK SYSTEMS



Robert S. Kerr Environmental Research Laboratory Office of Research and Development U.S. Environmental Protection Agency Ada, Oklahoma 74820

ENVIRONMENTAL EFFECTS OF SEPTIC TANK SYSTEMS

bу

Marion R. Scalf and William J. Dunlap Ground Water Research Branch Robert S. Kerr Environmental Research Laboratory Ada, Oklahoma 74820

and

James F. Kreissl Systems and Engineering Evaluation Branch Municipal Environmental Research Laboratory Cincinnati, Ohio 45268

What Did The EPA Conclude in 1977?

Septic systems have performed a vital function of environmental sanitation, particularly in rural and sparsely developed suburban areas. However, some estimates indicate that less than one-half of all systems in use today perform satisfactorily for the entire design life of fifteen to twenty years (2). Many public health authorities feel that conventional septic systems are suitable only where population density is strictly limited and soil conditions are suitable for effective absorption. Otherwise, these systems may contaminate ground and surface waters and result in sanitary nuisances and health hazards.

As noted earlier, some investigators estimate that as many as one-half of all septic tank-soil absorption systems are not operating satisfactorily. It is probably more than coincidence that another estimate classifies more than half of the soil in the United States as unsuitable for septic systems with respect to the percolation rate.

SARA HEGER – UNIVERSITY OF MINNESOTA Onsite Sewage Treatment Program & Former President of NOWRA "Seems we are still facing many of the challenges they outlined in 1977"

SOIL-BASED WASTEWATER TREATMENT José A. Amador & George W. Loomis


The University of Rhode Island, Kingston, Rhode Island

In our experience, people working with septic systems – ourselves included – have a fragmented understanding of what these systems are, how they function, how wastewater moves through soil, how and which pollutants are removed, and how these systems impact the environment and public health.

The relevant information is scattered across disciplines, information sources and audiences.

This book is an attempt to collect and integrate this information in one place, and provide a scientific framework for understanding soil-based wastewater treatment.

What if we get it wrong? Is Our Drinking Water Safe?



When We Fail – People Suffer!

- In AZ during 1989, failure of the leaching field, due to excessive flow, at a resort area resulted in approximately 900 cases of gastroenteritis
- In FL during 1974, a drinking water well was contaminated by sewage from a nursery school, and resulted in approximately 1,200 cases of gastrointestinal distress
- The Log Den, a restaurant in Wisconsin closed June 1, 2007, three weeks after it opened due to 229 becoming ill with Norovirus which causes vomiting and diarrhea


Though properly permitted, this septic system failed. Septic wastes leached into the ground, through fissures in the soil and rock reaching the limestone aquifer that supplied the restaurant's water well.

The close proximity of on-site water and wastewater systems in subdivisions, reliance on marginal or poor soils for on-site wastewater disposal, and a general lack of understanding by homeowners about proper septic system maintenance pose a significant threat to public health in the 21st century

Weather Events & Climate Change Affect Soil Treatment!



Weather Events & Climate Change Affect Soil Treatment!



Democracy Dies in Darkness

CLIMATE & ENVIRONMENT

Backed-up pipes, stinky yards: Climate change is wrecking septic tanks

By Jim Morrison April 12, 2022 at 7:00 a.m. EDT

Weather Events & Climate Change Affect Soil Treatment!

As climate change intensifies, septic failures are emerging as a vexing issue for local governments

- From Miami to Minnesota, septic systems are failing, posing threats to clean water, ecosystems and public health
 - Of the 120,000 in Miami-Dade County, more than half of them fail to work properly at some point during the year
- More intense storms compromise systems
- Too little precipitation also creates problems
- Freezing drainfields cause failures, soil microbes less active when colder Realistically we don't really have a good picture of how bad the problems are and how bad they will get with climate change and aging systems

Some Of The Factors Influencing Failure of Soil Based Systems

Climate change

- Wetter, dryer, hotter, colder, water table/sea level rise, etc.
- Hydraulic overloading
 - More people move into the home or the addition of a garden-tub is can overload undersized drainfields and increases moisture in soil
- Biological overloading too much organic matter in the effluent
- Biomat sludge in the drainfield is often the result of these
 Moisture in the soil and a lack of oxygen compounds the issue

Only takes a biomat the thickness of two pennies (3/32) to cause a system failure

There Are a LOT OF IF's in Soil Based Treatment

A representative of the National Environmental Services Center at West Virginia stated:

"If the systems are correctly designed and installed, if the site is properly evaluated, and if they are maintained, then they are pretty effective..."

There are a lot of lf's and variables in that statement as to whether a septic system can and will function as intended to treat the wastewater


Anerobic (Septic) only treats 20-40% of waste in the tank

Remove the IF's and the Variables from the Equation!


 When you move the majority of the treatment from the soil back into the tank your treatment process:

- Has a controlled environment
- Is not as susceptible to climate and environmental changes
- Easily adjusts to wastewater strength and flow rate variables
- Treats ~90% of the waste in the tank
- Removes and prevents Biomat clogging thus keeps the drainfield clean and functional
- Discharges cleaner effluent into the soil where final treatment can be accomplished
- Minimizes public and environmental health risks
- Point source verifiable

Suspended Growth vs Fixed Film Attached Growth







Biofilm water treatment has been taking place in nature for thousands of years

In rivers, water is purified as it is aerated over rocks which act as media to host biofilm

Biofilm Technologies Have Many Advantages

- Reduced hydraulic retention time
- Resilience to changes in the environment
- Remarkably superior in pollutant elimination
- Tolerates stresses such as starvation, chemical cleaners and antibiotics
- Biofilm cells display characteristics and behavior that are superior to their planktonic (single cell) counterparts (found in SG ATU)
- Recovers drainfields plugged with biomat sludge

The Next Generation Wastewater Treatment Suspended Biofilm Generator™



BM2624 Suspended Biofilm Generator™ Installed In A Two Compartment Tank



Suspended Biofilm Generator[™] Demonstration

Results of a Suspended Biofilm Generator[™] Installation



Not Only Attached Bacteria Biofilm, but an Ecosystem With Higher Life Forms


What is a Suspended Biofilm Generator[™] - SBG[™]

The Suspended BioFilm Generator™ produces Biofilm

- on the surface of the fixed film media
- around the media
- in suspension throughout the tank or treatment compartment.

How is this accomplished with the RioVation® BioMaze® Treatment?

Quorum-sensing allows individual bacteria within colonies to coordinate and carry out colony-wide functions such as biofilm formation and dispersion.



Effluent Grab Sample at the



TEXAS A&M UNIVERSITY

RELLIS Research Facility



Sludge Sample at the



TEXAS A&M UNIVERSITY

RELLIS Research Facility



BM2624 Installed in a Snyder two compartment poly tank with loose fitting baffle wall

Analytical Results

	Lab ID: G2307187001 Sample ID: 4424-2ND FINAL TANK		Date Collected: 07/25/2023 10:00 Date Received: 07/25/2023 14:30					10 1
	Parameter		Results	Units	PQL	MDL	DF	Prepared
	WET CHEMI	ISTRY (SM 2540D)						
	Total Suspen	ided Solids	3.2	mg/L	2.0	2.0	1	07/28/2023 14:10
WET CHEMISTRY (SM 5210B)								
Sugar 100	Carbonaceou	us BOD (CBOD)	2.3	mg/L	2.0	2.0	1	07/26/2023 10:45

BM2624 Installed in a Snyder two compartment poly tank with loose fitting baffle wall

Analytical Results

Lab ID: Sample ID:	G2307187001 4424-2ND FINAL TANK		Date Colle Date Reco		2023 10:00 2023 14:30		
Parameter		Results	Units	PQL	MDL	DF	Prepared
WET CHEMISTRY (SM 2540D)							
Total Suspended Solids		3.2	mg/L	2.0	2.0	1	07/28/2023 14:10
WET CHEMISTRY (SM 5210B)							
Carbonaceou	IS BOD (CBOD)	2.3	mg/L	2.0	2.0	1	07/26/2023 10:45

So, Soils Are Good for Wastewater Treatment. Right?



The Ohio State University

extension.osu.edu fabe.osu.edu

COLLEGE OF FOOD, AGRICULTURAL, AND ENVIRONMENTAL SCIENCES

Using Soil to Remove Pollutants From Wastewater

AEX-745

Agriculture and Natural Resources Date: 02/25/2016

Soil is the best medium to treat and disperse wastewater to protect the health of families, neighbors and visitors as well as the environment. Ohio has wonderfully diverse soil resources. Most of Ohio's soils are best suited for growing food and supporting Ohio's largest industry: agriculture.

What Percentage Of Ohio's Soils Are Just Right?



THE OHIO STATE UNIVERSITY

COLLEGE OF FOOD, AGRICULTURAL, AND ENVIRONMENTAL SCIENCES extension.osu.edu fabe.osu.edu

Using Soil to Remove Pollutants From

Wastewater

AEX-745

Agriculture and Natural Resources Date: 02/25/2016

Limiting Layers

Many soils do not provide adequate depth to remove pollutants and treat wastewater. Like Goldilocks, some soil layers are too permeable for good contact between soil and effluent, and some are not permeable enough to allow for the movement of air and water. Only 16 percent of Ohio's land area is just right and has soils ideally suited to traditional septic system leach fields. Zones in the soil where wastewater cannot be treated are called limiting layers. Limiting layers are:

What About The Soils In The Rest Of the U.S.?

Up to half of the land area in the United States has soils NOT suited for conventional subsurface soil absorption fields

EPA/625/R-00/008 February 2002

Onsite Wastewater Treatment Systems Manual

Septic densities in some areas exceed the capacity of even suitable soils

- Many septic systems are located too close to ground or surface waters
- Others are not designed to handle increasing wastewater flows
- Conventional onsite system installations are not typically adequate for
 - minimizing nitrate contamination of ground water
 - removing phosphorus compounds
 - attenuating pathogenic organisms (e.g., bacteria, viruses)



Soil <u>is</u> an Excellent Medium for Wastewater Treatment

But

Estimated that less than 1/2 of the soils making up the United States are suitable for Wastewater Treatment

<u>And</u>

The Soils that are suitable for wastewater treatment live in very unpredictable and hostile environments

<u>50</u>

We can keep rolling the dice and leaving more than 4 billion gallons a day of septic effluent treatment to chance in the soil

<u>Ok</u>

We move the treatment into the tank where ~90% of the waste can be removed and leave the remaining ~10% for the soil to finish

The Cost of Maintaining Status Quo?



Adopted by WWEMA Board of Directors on May 6, 2020

Eliminating Failing Septic Tanks in the United States Final Position Statement

I. Issue Overview

Every year a quarter of the U.S. population discharges an astounding one trillion gallons of raw, untreated wastewater and other toxic materials into more than 21 million septic tanks, nearly half of which do not function properly.



Florida's Indian River Lagoon

156-mile-long estuary spans five counties along the Atlantic East Coast



Between December 2020 and December 2022 over 2,000 manatees died

Florida's Indian River Lagoon Water Quality Issues Fertilizer or Septic to Blame?

SEWAGE, NOT FERTILIZER FUELING NITROGEN SURGE IN INDIAN RIVER LAGOON



Blooms of red drift macroalgae stranding on the shoreline near Turkey Creek, an Indian River Lagoon tributary, during the study period. (Photo credit: Brian Lapointe)

Findings of the study, published in the journal Marine Pollution Bulletin , show recent estimates for residential fertilizer contributions to the Indian River Lagoon are much lower than the originally defined contribution of 71 percent. In fact, current nitrogen loading estimates represent a 21 percent contribution from residential fertilizers compared to 79 percent from septic systems. These loading estimates are similar to those reported in other septic system-impacted urbanized estuaries.

Water quality and harmful algal blooms have worsened in the northern Indian River Lagoon and Banana River, leading to unprecedented seagrass die-offs and starvation of manatees.

Bad Publicity and Lawsuits Against Florida State EPA



There are more than 300,000 conventional septic systems in the counties adjacent to the IRL



Its Time We Move the Treatment

Out of the Uncontrolled and Hostile Environment of the Soil

> Into the Tank



"Let's Clear Some Things UP For You!"

RioVation®

www.riovation.com 352-436-9412

Q & A Session